Contribution ID: 118

Type: Parallel

Neutral meson production in AgAg@1.58 A GeV

Monday, 26 June 2023 17:30 (20 minutes)

Relativistic nucleus–nucleus collisions offer a unique possibility for studying nuclear matter under the influence of high temperature and pressure. During the collision a system of interacting nucleons, resonances, and mesons, called hadronic fireball, is created.\par

The Dielectron Spectrometer HADES operated at the SIS18 synchrotron of FAIR/GSI Darmstadt recently provided new intriguing results on production of electron pairs and strangeness from nucleus-nucleus collisions, as well as from reference elementary reactions, in energy region of 1 - 2-A-GeV. At 2019 it was complemented by a new electromagnetic calorimeter based on lead-glass modules, which allows to measure production of the π^0 and η mesons via their two-photon decay. In this energy range, π^0 and η mesons are the most abundantly produced mesons carrying information from the hadronic fireball. In addition, the knowledge of the neutral meson production is a mandatory prerequisite for the interpretation of dielectron data and at the same time almost no respective data are presently available for this energy range.\par

Recent result on π^0 production in Ag + Ag collisions at 1.58-A-GeV with 14×10^9 collected events will be presented . The yields, transverse mass and rapidity distributions will be shown and compared with existing data from other experiments as well as with transport model calculations.

Collaboration

HADES

Primary author: PROZOROV, Alexandr (Nuclear Physics Institute CAS)Presenter: PROZOROV, Alexandr (Nuclear Physics Institute CAS)Session Classification: Parallel session B7